Holts

PROFESSIONAL



PROFESSIONAL PRODUCTS YOU CAN TRUST!

CLEANERS







EGR & Carb Cleaner

FOR DIESEL AND PETROL ENGINES **IMPROVES ENGINE PERFORMANCE**

What Does It Do?

- · Quickly removes dirt, grease, varnish, carbon and gum deposits
- Use on EGR and Carburettor systems to help restore engine performance, improve MPG and reduce emissions

How Does It Work?

The careful blend of powerful solvents dissolve and clean away performance robbing deposits like gum and soot.

How Do I Use It?

Spray directly onto the part and agitate with a brush as necessary.

Applications			
EGR Valves	~	Throttle Linkages	<
Carburettors	~	Air Intake Systems	<
Chokes	~	Air Flow Sensors	~
PCV Valves	~		

Product Code: HMTN0201A

Size: 500ml

Barcode: 5010218003330 ITF: 15010218003337 Case Size: 6

Electrical Contact Cleaner

CLEANS AND PROTECTS **REMOVES OIL, GREASE AND DIRT**

What Does It Do?

- · Removes dirt, dust, grease and oil
- · Cleans delicate electronics and electrical components

How Does It Work?

The powerful solvent quickly dissolves grease and dirt to restore the electrical contact. The fast drying formula reduces job time.

How Do I Use It?

Spray directly onto greasy and dirty components, leave a few seconds to dry and re-attach.

Cleans			
Circuit Boards	~	Relays	<
Components	~	Switches	<
Contacts	~		

Product Code: HMTN0601A

Size: 500ml

Barcode: 5010218506954 ITF: 15010218506951 Case Size: 6

Engine & Parts Degreaser

SPRAY ON > RINSE OFF **POWERFUL CLEANER FOR METAL AND PLASTIC**

What Does It Do?

- Quickly removes oil, grease, tar and dirt
- For use on metal, plastic and many other surfaces

How Does It Work?

The new formula contains a powerful blend of solvents and multifunctional surfactants that attach to dirt and grease immediately on contact.

How Do I Use It?

Spray liberally onto the dirty area. Use a soft bristle brush to work into particularly thick grease and dirt. Rinse with water and allow to dry.

Suitable For			
Engines	~	Equipment	~
• Parts	~	Bicycles	~
• Tools	~	Boats	~
Gearboxes	~	Paint Brushes	~
Machinery	~	Painted Workshop Floors*	~

*Avoid contact with tarmac/asphalt flooring.

Product Code: HMTN0701A

Size: 500ml

Barcode: 5010218506961 ITF: 15010218506968 Case Size: 6

CLEANERS







Brake & Parts Cleaner 600ml

PREMIUM QUALITY 100% PURE SOLVENT FORMULA **POWERFUL CLEANER**

What Does It Do?

 Cleans and rapidly degreases brakes, clutches and all metal parts or surfaces - removes brake dust, pad residue, grease, dirt and oily deposits

How Does It Work?

The powerful jet of solvent based formula dissolves oils and greases and blasts off brake dust and dirt in seconds. Safe for ABS systems - does not contain chlorinated solvents or acetone

How Do I Use It?

Spray liberally onto greasy or dirty surfaces. To remove built up grime and grease wipe off with absorbent cloth or paper.

Applications			
Brakes	~	Clutches	~
Calipers	~	Metal Parts	~
• Drums	V	Wheel Cylinders	~
Springs	V	Plates	V

Product Code: 52460600131

Size: 600ml

Barcode: 3256640018821 ITF: 53256640018826 Case Size: 12

Brake & Parts Cleaner 5L

PREMIUM QUALITY 100% PURE SOLVENT FORMULA **POWERFUL CLEANER**

What Does It Do?

• Cleans and rapidly degreases brakes, clutches and all metal parts or surfaces - removes brake dust, pad residue, grease, dirt and oily deposits

How Does It Work?

The powerful solvent based formula immediately dissolves oils, greases and removes brake dust and dirt in seconds. Safe for ABS systems - does not contain chlorinated solvents or acetone.


How Do I Use It?

Decant into an appropriate container and work into dirty parts with a brush or use a suitable pump sprayer. To remove built up grime and grease wipe off with absorbent cloth or paper.

Applications			
Brakes	~	• Clutches	~
Calipers	~	Metal Parts	~
• Drums	~	Wheel Cylinders	~
Springs	~	• Plates	~

Product Code: HMAI0201A Size: 5L Barcode: 5010218003316 ITF: 15010218003313

Case Size: 2











GREASES
































Blue Grease

EXCELLENT LUBRICATION PERFORMANCE

MULTIPURPOSE LITHIUM COMPLEX



What Does It Do?

• Premium quality blue lithium complex grease provides lasting lubrication over a wide operating temperature range

How Does It Work?

Contains extreme pressure, oxidation and anti-wear additives to lubricate the surfaces while offering excellent corrosion resistance, particularly for components operating in wet conditions. NLGI Viscosity Grade 2.

How Do I Use It?

Apply to components manually, with a clean spatula or sparingly by brush. Can also be used with a standard grease gun.

Applications			
Automotive	~	Chassis	~
Industrial	~	Water Pumps	~
Marine	~	Universal Joints	~
Agricultural	~	Hubs	V
Bearings	V	General Greasing	V

Product Code: HMTN1301A

Size: 500g

Barcode: 5010218507029 ITF: 15010218507026 Case Size: 12

Copper **Grease**

EASES ASSEMBLY AND DISMANTLING

MULTIPURPOSE **ASSEMBLY COMPOUND**



What Does It Do?

• Premium quality anti-seize copper grease prevents seizure and galling during assembly, therefore reduces assembly time

How Does It Work?

Enables fast and easy dismantling of components (anti-seize) even after high in-use temperature conditions. Protects parts subjected to high temperatures and/or corrosive environments, including chemical and water. Can also help to prevent disc brake squeal if applied to back of brake pads. NLGI Viscosity

How Do I Use It?

Apply to components manually, with a clean spatula or sparingly by brush.

Applications			
Brake Pad Guides	~	Hinges & Screws	~
Brake Calipers	~	Nuts & Bolts	~
Exhaust Systems	~	Pipes & Valves	~
Flanges & Gaskets	~	Threaded Connections	~
Spark Plugs	~	Catalytic Converter Bolts	~
Steering & Suspension	~	General Greasing	~

Product Code: HMTN1401A

Size: 500g

Barcode: 5010218507036 ITF: 15010218507033 Case Size: 12

High Performance Moly Grease

SUITABLE FOR CV JOINTS

MULTIPURPOSE **MOLYBDENUM DISULPHIDE**



What Does It Do?

• Premium quality high performance molybdenum disulphide grease protects parts against corrosion, load & shock loading

How Does It Work?

Excellent extreme pressure (7,000kg/cm² or 100,000psi) and anti-wear performance with the extra effectiveness of Molybdenum Disulphide. Very low coefficient of friction (0.04). Particularly suited for use in CV Joints, Universal Joints and Wheel Bearings.

How Do I Use It?

Apply to components manually, with a clean spatula or sparingly by brush. Can also be used with a standard grease gun.

Applications			
Automotive	~	Universal Joints	~
Industrial	~	Wheel Bearings	~
Marine	~	Chassis	~
Agricultural	~	Suspension	~
CV Joints	~	General Greasing	~

Product Code: HMTN1501A

Size: 500g

Barcode: 5010218507043 ITF: 15010218507040 Case Size: 12

REPAIR



Spray Grease

SPRAYS WHITE > THEN CLEARS
MULTIPURPOSE

What Does It Do?

- Lubricates metal and all other moving parts, reducing friction and preventing them from binding
- \bullet The grease formula protects against rust and corrosion

How Does It Work?

The powerful direct spray gets into those hard to reach places, whilst the high cling formula means there are no unsightly drips. The lightweight carrier solvent evaporates quickly to leave a high quality light colour grease.

How Do I Use It?

Shake can well and spray onto any parts requiring lubrication.

Applications			
Metal Parts	~	Hinges	~
Chains	~	Catches	~
Linkages	~	Locks	~

Product Code: HMAI0101A

Size: 500ml

Barcode: 5010218001848 ITF: 15010218001845 Case Size: 12



SEALS MOST LEAKS IN ENGINES AND RADIATORS

HEAD GASKETS I CYLINDER HEADS ENGINE BLOCK









Exhaust Assembly Paste

EASY ASSEMBLY

GAS TIGHT SEAL

What Does It Do?

- Aids in the assembly of exhaust components
- Provides a gas tight seal around flanges and gaskets
- · Resists very high temperatures

How Does It Work?

The unique paste formula can be compressed between exhaust components acting as a gasket. Heat created by running the engine hardens the formula and forms a gas tight seal between the joints.

How Do I Use It?

Apply liberally to both exhaust components being assembled. Once assembled, run the engine to harden the paste.

Applications			
Exhaust Components	~	End Plate Leaks	~
Flanges	~	Small Holes	~
Gaskets	~		

Product Code: HMTN0901A

Size: 300ml

Barcode: 5010218506985 ITF: 15010218506982

Case Size: 6

Holts SEALit

PERMANENT
COOLANT LEAK
REPAIR

What Does It Do?

- Seals most leaks in engines and radiators
- Mixes with all coolant/antifreeze

How Does It Work?

Developed following rigorous laboratory testing, SEALit's advanced formulation contains a special blend of microfibers and polymers. The non-silicate formula will not form damaging gel or sludge.

Once dispersed into the existing antifreeze coolant, SEALit permeates throughout the coolant system and forms an enduring seal in unwanted cracks and holes.

How Do I Use It?

Easy Pour and Go Formula, just add to the expansion tank, the unique formula mixes with all coolant/ antifreeze without the need to drain or flush the cooling system. Also helps prevent future leaks and proven to reduce corrosion.

Permanently Seals Most Leaks in				
Engine Blocks	~	Freeze Plugs	~	
Cylinder Heads	~	Radiators	~	
Head Gaskets	~	Hoses	~	

Product Code: HREP0101A

Size: 250ml

Barcode: 5010218506671 ITF: 15010218506678 Case Size: 6

LUBRICANTS







Release **Spray**

LOOSENS SEIZED PARTS

MULTIPURPOSE PENETRATING LUBRICANT

What Does It Do?

- Penetrates and releases stuck, frozen or rusted nuts, bolts and other parts
- · Lubricates and protects against future rusting and seizure

How Does It Work?

The formula has an ultra low surface tension which creeps into micro fissures in the rust and between seized parts. Water dispersants in the formula help drive out moisture and replace it with a protective shield.

How Do I Use It?

Spray onto any rusted or seized parts and leave to act for a few minutes.

Applications			
Nuts	~	• Tools	<
Bolts	~	• Locks	<
Parts	~	Chains	~
Fittings	V	Pipes	V

Product Code: HMTN0401A

Size: 500ml

Barcode: 5010218003354 ITF: 15010218003351 Case Size: 6

Silicone Spray

LUBRICATES AND PROTECTS

FOR RUBBER, **PLASTIC AND METAL**

What Does It Do?

• Lubricates, protects and waterproofs rubber, nylon, plastic, metal and wood

How Does It Work?

The low odour solvent carries two silicone polymers to help penetrate and protect. The new formula contains a matting agent to reduce glare and return rubbers to a 'new look'.

How Do I Use It?

Spray directly onto the surface needing lubrication and protection.

Applications			
Door Rubbers	~	• Seat Rails	
Lubricating Locks	~	✔ Patio Doors	
Window Seals	~	Drawers/Runners	~
Sunroof Seals	~	Hinges	~
Sunroof Rails	~	• Tools	~

Product Code: HMTN0301A

Size: 500ml

Barcode: 5010218003347 ITF: 15010218003344 Case Size: 6

Maintenance Spray

WATER DISPERSANT

MULTIPURPOSE 1000'S OF USES

What Does It Do?

- Cleans Removes, dirt, grime, grease and adhesive marks
- Penetrates Loosens rusted parts
- Lubricates Stops squeaks and lubricates locks, tools and hinges
- Protects Provides a lightweight barrier against corrosion

How Does It Work?

Solvents dissolve grease and dirt. The lightweight formula creeps between rusted and seized parts. Oils help stop squeaks and stuck parts. Water dispersants drive out moisture and replace it with a protective shield.

How Do I Use It?

Simply spray onto surfaces.

1000's of Uses for:			
Workshop	~	Vehicles	~
Home	~	Machinery	~
Garage	~	Caravans	~
Garden	~	Hobbies	~

Product Code: HMTN0501A

Size: 500ml

Barcode: 5010218003361 ITF: 15010218003368 Case Size: 6

PRODUCT DETAILS



Product Code	Product	Size	UPC
HMTN0201A	EGR & Carb Cleaner	500ml Aerosol	6
HMTN0601A	Electrical Contact Cleaner	500ml Aerosol	6
HMTN0701A	Engine & Parts Degreaser	500ml Aerosol	6
52460600131 (PR025A)	Brake & Parts Cleaner	600ml Aerosol	12
HMAI0201A	Brake & Parts Cleaner	5L Tin	2
HMTN1301A	Blue Grease	500g Tub	12
HMTN1401A	Copper Grease	500g Tub	12
HMTN1501A	High Performance Grease	500g Tub	12
HMAI0101A	Spray Grease	500ml Aerosol	12
HMTN0901A	Exhaust Assembly Paste	300ml Cartridge	6
HREP0101A	SEALit Leak Repair	250ml Bottle	6
HMTN0401A	Release Spray	500ml Aerosol	6
HMTN0301A	Silicone Spray	500ml Aerosol	6
HMTN0501A	Maintenance Spray	500ml Aerosol	6

The Holts Professional range is a result of rigorous laboratory research and extensive real-world testing. The products are tailored specifically to meet the demands of professional vehicle workshops.

All products in the range are colour-coded and feature straightforward benefit icons, images and application tables to ensure the right product for each task can be rapidly identified and selected.

Where appropriate, all aerosols in the Professional range include a 360° valve, ensuring that products can be used at any angle, even upside down.

In addition all Professional 500g grease tubs include a protective plastic disc / follower plate inside to keep the grease clean.

The Holts Professional range has been developed to make professional motor mechanics' jobs quicker and easier - the products also deliver exceptional performance at competitive prices.

"Holts Professional products get the job done first time!"







AEROSOLS SPRAY IN ALL POSITIONS



Copper Grease

MULTIPURPOSE ASSEMBLY COMPOUND



High Performance Moly Grease

MULTIPURPOSE MOLYBDENUM DISULPHIDE



Blue Grease

MULTIPURPOSE LITHIUM COMPLEX



Release Spray MULTIPURPOSE

PENETRATING

LUBRICANT



Silicone Spray FOR RUBBER,

PLASTIC AND METAL



Maintenance Spray

MULTIPURPOSE 1000'S OF USES



Spray Grease

SPRAYS WHITE THEN CLEARS

Brake & Parts Cleaner

PREMIUM QUALITY
100% PURE SOLVENT FORMULA



Holts ESR & Carlo Cleaner

EGR & Carb Cleaner

ALSO CLEANS AIR INTAKE SYSTEMS, AIR FLOW SENSORS AND PCV VALVES



Electrical Contact Cleaner

REMOVES OIL, GREASE AND DIRT



Holts Exhaust Assembly Paste

Exhaust Assembly Paste

GAS TIGHT SEAL



SEALIT
SEALS HEAD
GASKETS,
CYLINDER
HEADS AND
ENGINE BLOCK

PROFESSIONAL PRODUCTS YOU CAN TRUST!

For more information contact:

Phone: 0161 866 4800 Email: holts.trade@framgrp.com

Phone: 003531 885 5100 Email: holts.ireland@framgrp.com



Holt Lloyd International Ltd.
Barton Dock Road, Manchester, M32 0YQ GB
Tel: +44 (0) 161 866 4800 Email: info@holtsauto.com
www.holtsauto.com